

Refine Search

Search Results -

Terms	Documents
scan\$4 and (deflection adj coil) and (differential adj amplifier) and (power adj amplifier) and standby and (positive adj voltage) and (negative adj voltage)	3

Database:

- US Pre-Grant Publication Full-Text Database
- US Patents Full-Text Database
- US OCR Full-Text Database
- EPO Abstracts Database
- JPO Abstracts Database
- Derwent World Patents Index
- IBM Technical Disclosure Bulletins

Search:

L2

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Tuesday, June 07, 2005 [Printable Copy](#) [Create Case](#)

Set
Name Query
side by
side

Hit
Count
Set
Name
result
set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

L2 scan\$4 and (deflection adj coil) and (differential adj amplifier) and (power
adj amplifier) and standby and (positive adj voltage) and (negative adj
voltage)

3 L2

L1 scan\$4 and (deflection adj coil) and (differentia adj amplifier) and (power adj
amplifier) and standby and (positive adj voltage) and (negative adj voltage)

0 L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L3 and (power adj consumption)	3

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L4

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Tuesday, June 07, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR			
<u>L4</u>	L3 and (power adj consumption)	3	<u>L4</u>
<u>L3</u>	scan\$4 and (deflection adj coil) and (differential adj amplifier) and (power adj amplifier) and (positive adj voltage) and (negative adj voltage)	7	<u>L3</u>
<u>L2</u>	scan\$4 and (deflection adj coil) and (differential adj amplifier) and (power adj amplifier) and standby and (positive adj voltage) and (negative adj voltage)	3	<u>L2</u>
<u>L1</u>	scan\$4 and (deflection adj coil) and (differentia adj amplifier) and (power adj amplifier) and standby and (positive adj voltage) and (negative adj voltage)	0	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L5 and (low adj power)	3

Database:

- US Pre-Grant Publication Full-Text Database
- US Patents Full-Text Database
- US OCR Full-Text Database
- EPO Abstracts Database
- JPO Abstracts Database
- Derwent World Patents Index
- IBM Technical Disclosure Bulletins

Search:

L7

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Tuesday, June 07, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR			
<u>L7</u>	L5 and (low adj power)	3	<u>L7</u>
<u>L6</u>	L5 and (power adj consumption)	5	<u>L6</u>
<u>L5</u>	scan\$4 and (deflection adj coil) and (differential adj amplifier) and (power adj amplifier) and positive and voltage and negative	35	<u>L5</u>
<u>L4</u>	L3 and (power adj consumption)	3	<u>L4</u>
<u>L3</u>	scan\$4 and (deflection adj coil) and (differential adj amplifier) and (power adj amplifier) and (positive adj voltage) and (negative adj voltage)	7	<u>L3</u>
<u>L2</u>	scan\$4 and (deflection adj coil) and (differential adj amplifier) and (power adj amplifier) and standby and (positive adj voltage) and (negative adj voltage)	3	<u>L2</u>
<u>L1</u>	scan\$4 and (deflection adj coil) and (differentia adj amplifier) and (power adj amplifier) and standby and (positive adj voltage) and (negative adj voltage)	0	<u>L1</u>

END OF SEARCH HISTORY